

11/22/2013



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Mr. George Meindl
Nufarm Americas Inc.
11901 South Austin Ave.
Alsip, IL 60803

NOV 22 2013

Subject: Label amendment to add sub-labeling
Product Name: LAZER RTU Lawn Weed Killer
EPA Reg. No: 228-555
Decision Number: 481400

Dear Mr. Meindl:

The labeling referred to above, submitted in connection with registration in accordance with FIFRA section 3(c)(5), as amended, is acceptable, provided that you submit and/or cite all data required for reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

A stamped copy of your label is enclosed for your records. This label supersedes all previously accepted labels. You must submit one (1) copy of the final printed label before you release the product for shipment. Products released for shipment after eighteen (18) months from the date of this letter must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have questions or concerns regarding this letter, please contact Beth Benbow at (703) 347-8072 or email at benbow.bethany@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Kathryn V. Montague".

Kathryn V. Montague
Product Manager 23
Herbicide Branch
Registration Division (7505P)

2/25

LAZER[®]

RTU LAWN WEED KILLER

FOR BROADLEAF WEED CONTROL IN RESIDENTIAL TURF

CONTAINS 2,4-D, MECOPROP-p AND DICAMBA

‡ GET THE OPTICAL ADVANTAGE®

ACTIVE INGREDIENTS

Dimethylamine Salt of 2,4-D Acid*	0.605%
Dimethylamine Salt of Mecoprop-p Acid**	0.149%
Dicamba Acid***	0.026%

OTHER INGREDIENTS	99.220%
TOTAL	100.000%

Isomer Specific Method, Equivalent to:

*2,4-D Acid	0.503%, 0.042 lbs./gal.
**Mecoprop-p Acid	0.123%, 0.010 lbs./gal.
***Dicamba Acid	0.026%, 0.002 lbs./gal.

‡CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

ACCEPTED
 NOV 22 2013
 228-555

EPA REG. NO. 228-555
EPA EST. NO. 228-IL-1

MANUFACTURED BY
NUFARM AMERICAS INC.
11901 S. AUSTIN AVENUE
ALSIP, IL 60803

NET CONTENTS GALS.
000228-00555.20100818.MASTER (RV081810)
NUP-06142

3/25

NOTE:

EPA Reg. No. 228-555

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING <i>[this statement is optional for this product and maybe be removed]</i>	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This pesticide may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of area during application. Do not allow people or pets to enter the treated area until sprays have dried.

USE RESTRICTIONS

IMPORTANT: Do not exceed two applications per year with a minimum of 30 days between applications. Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not apply if rainfall is expected within 24 hours. Do not exceed directed rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 90°F.

Do not apply as a fine mist because of potential injury to desirable plants. Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product runoff, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.

USE PRECAUTIONS

Do not spray exposed roots of desirable plants. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. For best results, do not water lawn within 24 hours after treatment. Watering will wash off weed killing material. Use a lawn type sprayer with a coarse spray as wind drift is less likely. Spray entire lawn, wetting weeds and lawn grasses. This product can be mixed with some liquid fertilizers or liquid iron materials. Because liquid fertilizer and liquid iron differ in pH, free ammonia content, density, salt concentration and percentage of water, a compatibility test should be done prior to mixing in application equipment. If necessary, contact your local Extension Agent.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

WEEDS CONTROLLED

- Alder
- Annual yellow sweet clover
- Artichoke
- Aster
- Austrian fieldcress
- Bedstraw
- Beggartick
- Biden
- Bindweed
- Bird vetch
- Bitterweed
- Bitter wintercress
- Black-eyed Susan
- Black medic
- Black mustard
- Blackseed plantain
- Blessed thistle
- Bloodflower
- Blue lettuce
- Blue vervain
- Box elder
- Bracted plantain
- Brassbuttons
- Bristly oxtongue
- Broadleaf dock
- Broadleaf plantain
- Broomweed
- Buckhorn
- Buckhorn plantain
- Bulbous buttercup
- Bull nettle
- Bull thistle
- Burdock
- Burning nettle
- Bur ragweed
- Burweed
- Buttercup
- Canada thistle
- Carolina geranium
- Carpetweed
- Catchweed bedstraw
- Catsear
- Catnip
- Chickweed
- Chicory
- Cinquefoil
- Clover
- Cockle
- Cocklebur
- Coffeebean
- Coffeeweed
- Common chickweed
- Common mullein
- Common sowthistle
- Corn chamomile
- Creeping Jenny
- Creeping Woodsorrel
- Crimson clover
- Croton
- Cudweed
- Curly dock
- Curly indigo
- Dandelion
- Dead Nettle
- Dock
- Dogbane
- Dogfennel
- Elderberry
- English daisy
- Fall dandelion
- False dandelion
- False flax
- False sunflower
- Fiddleneck
- Field bindweed
- Field pansy
- Flea bane (Daisy)
- Flixweed
- Florida betony
- Florida pusley
- Frenchweed
- Galinsoga
- Garlic mustard
- Goathead
- Goatsbeard
- Goldenrod
- Ground ivy
- Gumweed
- Hairy bittercress
- Hairy fleabane
- Hawkweed
- Healall
- Heartleaf drymary
- Hedge bindweed
- Hedge mustard
- Hemp
- Henbit
- Hoary cress
- Hoary plantain
- Hoary vervain
- Honeysuckle
- Hop clover
- Horsenettle
- Horsetail
- Indiana mallow
- Ironweed
- Jewelweed
- Jimsonweed
- Kochia
- Knawel
- Knotweed
- Lambsquarter
- Lespedeza
- Locoweed
- Lupine
- Mallow
- Marshelder
- Matchweed
- Mexicanweed
- Milk vetch
- Milkweed
- Mugwort
- Morningglory
- Mouseear chickweed
- Musk thistle
- Mustard
- Narrowleaf plantain
- Narrowleaf vetch
- Nettle
- Nutgrass
- Orange hawkweed
- Oxalis
- Oxeye daisy
- Parsley-piert
- Parsnip
- Pearlwort
- Pennycress
- Pennywort
- Peppergrass
- Pepperweed
- Pigweed
- Pineywoods bedstraw
- Plains coeopsis
- Plantain
- Poison hemlock
- Poison ivy
- Poison oak
- Pokeweed
- Poorjoe
- Povertyweed
- Prickly lettuce
- Prickly sida
- Primrose
- Prostrate knotweed
- Prostrate pigweed
- Prostrate spurge
- Prostrate vervain
- Puncture vine
- Purslane
- Ragweed
- Red clover
- Redroot pigweed
- Red sorrel
- Redstem filaree
- Rough cinquefoil
- Rough fleabane
- Roundleafed marigold
- Rush
- Russian pigweed
- Russian thistle
- St. Johnswort
- Scarlet pimpernel
- Scotch thistle
- Sheep sorrel
- Shepherdspurse
- Slender plantain
- Smallflower galinsoga
- Smartweed
- Smooth dock
- Smooth pigweed
- Sneezeweed
- Southern wild rose
- Sowthistle
- Spanishneedle
- Spatterdock
- Speedwell
- Spiny amaranth
- Spiny cocklebur
- Spotted catsear
- Spotted knapweed
- Spotted spurge
- Spurge
- Spurweed
- Stinging nettle
- Stinkweed
- Stichwort
- Strawberry clover
- Sumac
- Sunflower
- Sweet clover
- Tall nettle
- Tall vervain
- Tansy mustard
- Tansy ragwort
- Tanweed
- Tarweed
- Thistle
- Tick trefoil
- Toadflax
- Trailing crown vetch
- Tumble mustard
- Tumble pigweed
- Tumbleweed
- Velvetleaf
- Venice mallow
- Veronica
- Vervain
- Vetch
- Virginia buttonweed
- Virginia creeper
- Virginia pepperweed
- Wavyleaf bullthistle
- Western clematis
- Western salsify
- White clover
- White mustard
- Wild mustard
- Wild aster
- Wild buckwheat
- Wild carrot
- Wild four-o'clock
- Wild geranium
- Wild lettuce
- Wild marigold
- Wild parsnip
- Wild radish
- Wild rape
- Wild strawberry
- Wild sweet potato
- Wild vetch
- Willow
- Witchweed
- Woolly morningglory
- Woodsorrel
- Woolly croton
- Woolly plantain
- Wormseed
- Yarrow
- Yellow Rocket
- Yellow Woodsorrel
- Yellow flower pepperweed
- and other broadleaf weeds

5/25

NOTE:

EPA Reg. No. 228-555

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

USE DIRECTIONS

1. Spray during the growing season when weeds are growing actively.
2. For best results, do not mow for 2 days before or after treating.
3. Do not treat when air temperatures exceed 90°F or damage to grass may occur.
4. For best results, do not water lawn within 24 hours after treatment. Do not apply if rain is expected within 24 hours of application.
5. Shake well before using.
6. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. However, a spot treatment may be made at any time with a small pressure sprayer. Do not plant seed, stolons, plugs, or sprigs within 3 weeks of application.
7. Do not allow spray to get on ornamental plants or vegetables since injury may result. Do not apply over roots of ornamentals and trees. Do not apply to clover or mixtures of grass and clover, unless you wish to kill the clover.
8. If certain weeds are not dead within 30 days, repeat treatment. Broadcast application is not necessary; follow spot treatment directions.
9. Do not exceed two applications per year.
10. Minimum of 30 days between applications.

HOW MUCH TO USE

SPOT TREATMENT

Pressure (Trigger) Sprayer: Adjust spray nozzle to give coarse spray. Aim at center of weed and spray to wet. One application should be sufficient. Effects begin to show after a few days and weeds gradually die. A repeat application may be needed after 30 days for hard-to-kill (or control) weeds. To obtain wider coverage raise container.

LAWN GRASSES

Cool Season

- Bluegrass
- Fescue
- Ryegrass

Warm Season

- Bahiagrass
- Centipedegrass
- Common Bermudagrass
- St. Augustinegrass
- Zoysiagrass

NOTE: Do not apply to Floratam variety of St. Augustine grass in Florida. Contact your local County Extension Agent if you are not sure as to what type of grass you have.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or (including toilet) outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER, AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, CROP OR PLANT DAMAGE, OR LOSS OF YIELD, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE**

6/25

NOTE:

EPA Reg. No. 228-555

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

GOODS, OR THE WEATHER, WIND, AND TEMPERATURE, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER, AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER OR MANUFACTURER, AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY OTHER REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS. NO WARRANTIES SHALL BE CREATED BY COURSE OF DEALING, USAGE OF TRADE, OR COURSE OF PERFORMANCE. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE FACE HEREOF. THE SELLER OR MANUFACTURER ASSUMES NO RESPONSIBILITY THAT THE GOODS WILL BE FIT FOR ANY PARTICULAR PURPOSE FOR WHICH YOU MAY BE BUYING OR USING THE GOODS, EXCEPT AS OTHERWISE PROVIDED IN THE CONTRACT.

LIMITATION OF LIABILITY WARNING

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NEITHER MANUFACTURER NOR SELLER SHALL BE LIABLE TO BUYER OR USER OR TO CUSTOMERS OF BUYER, IF ANY, FOR INDEMNIFICATION OR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE USE, MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE GOODS AND, IF BUYER OR USER WISHES, THE RETURN OF THE GOODS BY BUYER TO SELLER.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the goods, and return it unopened to the Seller, and the purchase price will be refunded. *By using the goods, you expressly agree to all of the terms and conditions of this contract.*

(RV081810)

Lazer and The Optical Advantage are registered trademarks of Nufarm Americas, Inc.

7/25

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 228-555

[OPTIONAL BOX]

<p>PRODUCT FACTS</p> <p>Kills Broadleaf Weeds including Chickweed, Clover and Dandelion (See inside for complete list)</p> <p>Where to Use: Lawns: Kills the Weeds in listed lawn grasses.</p> <p>When to Use: Do not apply when daytime temperatures are above 90°F as lawn injury can occur.</p> <p>Questions and Comments: (Icon phone) (Icon computer) Call xxxxxxxx or visit our website at www.xxxxxxxx</p>

OPTIONAL MARKETING HYPE - FRONT PANEL

- Kills 250+ Weed Types **
- Kills Over 250 Weeds **
- Kills Dandelion, Clover and Other Broadleaf Weeds **
- Kills Dandelion, Clover and Other Listed Broadleaf Weeds
- Controls Over 250 Weeds **
- Use When Weeds Are Actively Growing
- May Be Used on Bahia, Common Bermuda, Bluegrass, Centipede, Fescue, Ryegrass, St. Augustine and Zoysia Grass
- Controls Weeds Such As Dandelions, Chickweed, Henbit, Oxalis, Plantain, And Many More **
- Overnight Results
- Works in 24 Hours
- Kills the Weeds, Not the Lawn *
- Rainproof in Hours - Won't Wash Away
- Colorless Formulation Won't
- Harm the Home Lawn *
- Illustration(s) of various weeds listed on label
- Easy to Use
- For Thick, Weed-Free Turf
- Three Way Control
- Apply to a Moist Lawn
- Contains The Three Way Power of Lazer

* when used as directed

** see list in Directions for use of label

8/25

NOTE:

EPA Reg. No. 228-555

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

SUBLABEL 1

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USE.**

USE PRECAUTIONS AND RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- [Reentry Icon] Do not allow people or pets to enter the treated area until sprays have dried.
- Do not exceed two applications per year with a minimum of 30 days between applications.
- Do not spray exposed roots of desirable plants.
- Do not exceed directed rates because damage to turf may occur.
- Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not spray as a fine mist as injury to non-target plants may occur.
- Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches.
- Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans.
- Do not apply when windy.
- To prevent product runoff, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day.
- Do not apply to newly seeded grasses until they have been mowed 3 times.
- Do not reseed for 4 weeks after use. If lawn needs watering, water thoroughly before application.
- Do not apply when temperature exceeds 90°F.
- Allow 12 hours after application before watering lawn for maximum effectiveness on listed weeds.

HOW IT WORKS/PRODUCT INFORMATION:

LAZER RTU Lawn Weed Killer/Product Name contains three proven weed killers that target lawn weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. Lawns listed on this label will not be harmed when used as directed.

WHERE TO USE:

LAZER RTU Lawn Weed Killer/Product Name/This product is a ready-to-use [RTU] product intended for the treatment of individual weeds, patches of weeds or sparse weeds scattered throughout home lawns. LAZER RTU Lawn Weed Killer/Product Name/This product can be applied to the following established turfgrass types:

9/25

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 228-555

Lawns To Be Treated:	
Warm Season Turfgrass	Cool Season Turfgrass
St. Augustinegrass ¹ , (Do not use on Floratam) Bermudagrass, common and hybrid Centipedegrass Zoysiagrass Buffalograss ¹ Bahiaagrass	Kentucky bluegrass Ryegrass Tall fescue Fine fescue
¹ Application to St. Augustinegrass or buffalograss may cause temporary yellowing or discoloration but full recovery can be expected.	

DO NOT apply [LAZER RTU Lawn Weed Killer/Product Name] to the following:
Floratam variety of St. Augustinegrass Bentgrass Carpetgrass Dichondra Lippia Gardens including vegetables, fruit trees, vines and berries Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs) Seashore paspalum Turfgrass species that are not listed on this label.

WHEN TO USE:

Apply this product when weeds are small and actively growing in the spring or fall. Aim at center of weed and spray to lightly cover weed leaves.

[Weeds begin to wilt and die within 24 hours. Weeds die completely within 14 – 28 days after application. Won't harm lawn grasses.]

BROADLEAF WEEDS CONTROLLED [KILLS WEEDS INCLUDING:]

Some or all of the following weeds will appear on the label.

Alder	Dead Nettle	Narrowleaf plantain	Spotted knapweed
Annual yellow sweet clover	Dock	Narrowleaf vetch	Spotted spurge
Artichoke	Dogbane	Nettle	Spurge
Aster	Dogfennel	Nutgrass	Spurweed
Austrian fieldcress	Elderberry	Orange hawkweed	Stinging nettle
Bedstraw	English daisy	Oxalis	Stinkweed
Beggartick	Fall dandelion	Oxeye daisy	Stichwort
Biden	False dandelion	Parsley-piert	Strawberry clover
Bindweed	False flax	Parsnip	Sumac
Bird vetch	False sunflower	Pearwort	Sunflower
Bitterweed	Fiddleneck	Pennycress	Sweet clover
Bitter wintercress	Field bindweed	Pennywort	Tall nettle
Black-eyed Susan	Field pansy	Peppergrass	Tall vervain
Black medic	Flea bane (Daisy)	Pepperweed	Tansy mustard
Black mustard	Flixweed	Pigweed	Tansy ragwort
Blackseed plantain	Florida betony	Pineywoods bedstraw	Tanweed
Blessed thistle	Florida pusley	Plains coeopsis	Tarweed
Bloodflower	Frenchweed	Plantain	Thistle
Blue lettuce	Galinsoga	Poison hemlock	Tick trefoil
Blue vervain	Garlic mustard	Poison ivy	Toadflax
Box elder	Goathead	Poison oak	Trailing crown vetch
Bracted plantain	Goatsbeard	Pokeweed	Tumble mustard
Brassbuttons	Goldenrod	Poorjoe	Tumble pigweed
Bristly ox tongue	Ground ivy	Povertyweed	Tumbleweed

10/25

NOTE:

EPA Reg. No. 228-555

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

Broadleaf dock	Gumweed	Prickly lettuce	Velvetleaf
Broadleaf plantain	Hairy bittercress	Prickly sida	Venice mallow
Broomweed	Hairy fleabane	Primrose	Veronica
Buckhorn	Hawkweed	Prostrate knotweed	Vervain
Buckhorn plantain	Healall	Prostrate pigweed	Vetch
Bulbous buttercup	Heartleaf drymary	Prostrate spurge	Virginia buttonweed
Bull nettle	Hedge bindweed	Prostrate vervain	Virginia creeper
Bull thistle	Hedge mustard	Puncture vine	Virginia pepperweed
Burdock	Hemp	Purslane	Wavyleaf bullthistle
Burning nettle	Henbit	Ragweed	Western clematis
Bur ragweed	Hoary cress	Red clover	Western salsify
Burweed	Hoary plantain	Redroot pigweed	White clover
Buttercup	Hoary vervain	Red sorrel	White mustard
Canada thistle	Honeysuckle	Redstem filaree	Wild mustard
Carolina geranium	Hop clover	Rough cinquefoil	Wild aster
Carpetweed	Horsenettle	Rough fleabane	Wild buckwheat
Catchweed bedstraw	Horsetail	Roundleafed marigold	Wild carrot
Catsear	Indiana mallow	Rush	Wild four-o'clock
Catnip	Ironweed	Russian pigweed	Wild geranium
Chickweed	Jewelweed	Russian thistle	Wild lettuce
Chicory	Jimsonweed	St. Johnswort	Wild marigold
Cinquefoil	Kochia	Scarlet pimpernel	Wild parsnip
Clover	Knawel	Scotch thistle	Wild radish
Cockle	Knotweed	Sheep sorrel	Wild rape
Cocklebur	Lambsquarter	Shepherdspurse	Wild strawberry
Coffeebean	Lespedeza	Slender plantain	Wild sweet potato
Coffeeweed	Locoweed	Smallflower galinsoga	Wild vetch
Common chickweed	Lupine	Smartweed	Willow
Common mullein	Mallow	Smooth dock	Witchweed
Common sowthistle	Marshelder	Smooth pigweed	Woolly morningglory
Corn chamomile	Matchweed	Sneezeweed	Woodsorrel
Creeping Jenny	Mexicanweed	Southern wild rose	Woolly croton
Creeping Woodsorrel	Milk vetch	Sowthistle	Woolly plantain
Crimson clover	Milkweed	Spanishneedle	Wormseed
Croton	Mugwort	Spatterdock	Yarrow
Cudweed	Morningglory	Speedwell	Yellow Rocket
Curly dock	Mouseear chickweed	Spiny amaranth	Yellow Woodsorrel
Curly indigo	Musk thistle	Spiny cocklebur	Yellow flower pepperweed
Dandelion	Mustard	Spotted catsear	and other broadleaf weeds

Directions For Use Options Based On Applicator

Option 1 – Conventional Trigger Small RTU

[Applicator (Device) (Applicator Name) Directions/Instructions]

HOW TO USE:

Spray

1. Turn sprayer nozzle to desired spray.
2. Squeeze trigger repeatedly to spray.

Finish

1. Turn sprayer nozzle to "OFF" [X]

[Optional illustrations may be used in conjunction with the above steps]

Option 2 – Conventional Trigger Large RTU

[Applicator (Device) (Applicator Name) Directions/Instructions]

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

HOW TO USE:

Spray

1. Remove sprayer from bottle by [sliding/pulling] sprayer up.
2. Unwrap [uncoil] hose and insert [color] hose connector into [color] spout on bottle cap until it clicks.
3. [Flip up [color] spout until fully upright] [Twist spout to "ON"] [Pull spout up].
4. Turn sprayer nozzle to desired spray.
5. Squeeze trigger repeatedly to spray..

Finish

1. Turn sprayer nozzle to "OFF" [X].
2. DO NOT DISCONNECT HOSE CONNECTOR FROM SPOUT.
3. Place sprayer back into holster [holder].

[Optional illustrations may be used in conjunction with the above steps]

STORAGE & DISPOSAL

PESTICIDE STORAGE: [Small][Large][Applicator Name] Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

PESTICIDE DISPOSAL AND/CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

Option 3 - Pull 'N Spray® II

[Applicator (Device) (Applicator Name) Directions/Instructions]

HOW TO USE:

Spray

1. Remove sprayer from holster [holder].
2. Unwrap [uncoil] hose and insert [color] hose connector into [color] spout on bottle cap until it clicks.
3. [Flip up [color] spout until fully upright] [Twist spout to "ON"] [Pull spout up].
4. Turn sprayer nozzle to desired spray.
5. Point sprayer away from body. Slowly pull ring at bottom of sprayer until it stops, and hold for two [2] seconds to fill sprayer.
6. Press trigger to spray.

Finish

1. Turn sprayer nozzle to "OFF" [X].
2. DO NOT DISCONNECT HOSE CONNECTOR FROM SPOUT.
3. Place sprayer back into holster [holder].

[Optional illustrations may be used in conjunction with the above steps]

Optional Refill/Reuse Directions

[The Pull 'N Spray II/Applicator Name [applicator/sprayer/wand] may be reused with the available LAZER RTU Lawn Weed Killer/Product Name refill bottle/container. Read and follow instructions in Reuse Directions to reuse the applicator.]

Refill/Reuse Directions

How to attach the [Pull 'N Spray II/Applicator Name] [applicator/sprayer/wand] to LAZER RTU Lawn Weed Killer /Product Name [refill bottle]:

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

Removing [color] hose from original bottle/container:

	<p>[To remove the side holster [holder] from original bottle/container, pull [lift] the bottom tab underneath and slide the holster [holder] up.]</p>
--	---

	<p>[Attach the sprayer holster [holder] to LAZER RTU Lawn Weed Killer/Product Name refill bottle/container by sliding the holster [holder] down onto the knob.]</p> <p>Insert [color] hose connector into [color] spout on cap <u>until it clicks.</u></p>
--	--

[Optional illustrations may be used in conjunction with the above steps]

STORAGE & DISPOSAL

PESTICIDE STORAGE: [Pull 'N Spray II/Applicator Name] [Applicator]: Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

PESTICIDE DISPOSAL AND/CONTAINER HANDLING: Pull 'N Spray II/Applicator Name can be reused with LAZER RTU Lawn Weed Killer /Product Name refill bottle/container. Follow instructions in the Reuse Directions when reusing [applicator name]. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

Option 4 – Battery Powered Wand/Comfort Wand

[[Applicator Name] [Applicator/Wand] Directions]

Prep [Wand]

1. Remove sprayer [Applicator Name] from holster [holder].
2. [Remove [color] pull strip to activate batteries].
3. Unfold [Flip Open] [Applicator Name] [wand] until it clicks [locks] into position.

Connect

1. Unwrap [uncoil] hose and insert [color] hose connector into [color] spout on bottle cap until it clicks.
2. [Flip up [color] spout until fully upright.] [Twist spout to "ON".] [Pull spout up.]

Spray

1. Turn sprayer nozzle to desired spray.
2. [Slide [color] switch on trigger to "Unlock" [illustration]].
3. Press trigger to spray.

Finish

1. Turn nozzle to "OFF" [X].
2. [Slide [color] switch on trigger to "Lock" [illustration]].
3. Fold [Applicator Name] wand closed and place sprayer back in holster [holder].

[Optional illustrations may be used in conjunction with the above steps]

Important Use Information: Do not submerge in water. When storing sprayer for long periods, remove batteries.

[To replace batteries: See marked diagram inside battery compartment.]

NOTE:

EPA Reg. No. 228-555

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.


Optional Refill/Reuse Directions

[The Comfort Wand/Applicator Name [applicator/sprayer/wand] may be reused with LAZER RTU Lawn Weed Killer/Product Name refill bottle/container. Read and follow instructions in Reuse Directions to reuse the applicator.]


Refill/Reuse Directions

How to attach the [Comfort Wand/Applicator Name] [applicator/sprayer/wand] to LAZER RTU Lawn Weed Killer/Product name [refill bottle]:

Remove [color] hose connector from original bottle/container:



[To remove the side holster [holder] from original bottle/container, pull [lift] the bottom tab underneath and slide the holster [holder] up.]



[Attach the sprayer holster [holder] to LAZER RTU Lawn Weed Killer/Product Name] refill bottle/container by sliding the holster [holder] down onto the knob.]

Insert [color] hose connector into [color] spout on cap until it clicks.

[Optional illustrations may be used in conjunction with the above steps]

STORAGE & DISPOSAL

PESTICIDE STORAGE: Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

PESTICIDE DISPOSAL AND/ & CONTAINER HANDLING: Comfort Wand /Applicator Name can be reused with LAZER RTU Lawn Weed Killer/Product Name refill bottle/container. Follow instructions in Reuse Directions when reusing [applicator name]. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

OPTIONAL MARKETING CLAIMS

The following Product Facts format is optional and the information may appear inside or outside of a box.

PRODUCT FACTS:

[What It Does:] Kills major broadleaf weeds including dandelion, clover, chickweed and dollarweed. (See inside for complete/weed list)

[Where to Use:] Lawns: Kills the weeds not the lawn when used as directed. [icon weeds]

[When to Use:] Apply when daytime temperatures are below 90°F.

Questions & Comments: [icon phone] [icon computer]

Call 1-800-xxx-xxxx or Visit our Website at www.companyname.com

14/25

NOTE:

EPA Reg. No. 228-555

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

USE TIPS:		
When to Apply:	For established lawns	Apply when daytime temperatures are below 90°F.
	For newly seeded areas	Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing.
	For newly sodded, sprigged, or plugged areas	Apply this product 3 to 4 weeks after the sodding, sprigging, or plugging operations.
Seeding:		The treated area can be seeded at 4 weeks after the application of this product.
Irrigation:	Non-stressed turfgrass	Adequate soil moisture and favorable growing conditions enhance the performance of this product.
	Stress from high temperatures, drought, insects or diseases.	Avoid applications of this product when turfgrasses are under stress since injury may result. If dry conditions exist, schedule irrigations (watering) before and after the application. For best results, delay the irrigation until approximately 24 hours after application of this product.
Mowing:		Delay mowing 2 days before and until 2 days after the application of this product. Do not use clippings from the treated areas as mulch or compost around flowers, ornamentals, trees, or in vegetable gardens.
Nontarget plants:		Do not apply this product to food crops (gardens, fruits and vegetables), forage crops, or ornamental plants including flowers, trees, shrubs, hedges, woody ornamentals, groundcovers established in landscape plantings and other nontarget plants. Do not spray exposed roots of ornamentals and trees.

The following claims may or may not appear on any label panel or in advertising. Appropriate formula and company specific information will be inserted on Final Printed Label to replace "X"

Efficacy Claims

1. [Also] Kills [Dandelion,] [Clover,] plus [XXX] other [listed] weeds [as listed]
2. [Even] kills [controls] poison ivy and poison oak
3. [Only] targets the weeds, leaving your lawn [grass] unharmed*
4. [Visible] [See] results in X hours
5. Gets to the root [of your weed problem]
6. Kills by contact
7. Kill [control] the most common weeds in your lawn [grass]**
8. Kills [controls] [Dandelion,] [Clover,] and other common [lawn weeds] [weeds found in your lawn] **
9. Kills [controls] [hard-to-control] [tough] weeds**
11. Kills [controls] all types of [lawn] weeds [in your grass] **
12. Kills [controls] broadleaf weeds [in lawns] **
13. Kills [controls] [listed weeds]
14. Kills [lawn] weeds [down] to the roots
15. Kills [lawn] weeds [to the roots]
16. Kills to the root [so weeds won't come back]
17. Kills weeds down to the root
18. Kills weeds, not lawns™

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 19. Results [works] with 1 [one] application
- 20. Gentle on lawns [grass], tough on weeds! *
- 21. Simple [and easy] steps to a weed free [lawn] [yard]
- 22. Starts working on contact
- 23. Targets weeds invading your lawn [grass]
- 24. Tough weed killer
- 25. Won't harm grass [when used as directed]
- 26. One [1] easy solution for dollarweed, dandelions, and clover

Formula Claims

- 27. 3-way control
- 28. [With] Lawn Guard TM [Lawn Protect TM]
- 29. Colorless formula
- 30. Fast-acting [formula]
- 31. For use on [many Northern & Southern] grasses [lawns] including XXX
- 32. Kill over [up to] XXX [lawn] weeds**
- 33. Kills [controls] [over] [XXX+] [types of] weeds**
- 34. Lawn Friendly*
- 35. Non-staining
- 36. Stain-free [formula]
- 37. Systemic [herbicide] Activity
- 38. Treats many Northern & Southern grass types

Characteristics

- 39. A simple and effective way to kill breakthrough and pop up weeds in your yard/lawn/grass
- 40. Easily [quickly] spot treat weeds
- 41. [Great] [Ideal] for spot treatment[s]
- 42. [Great] For spot treating [treatment]
- 43. Spot weed control for Southern lawns
- 44. Targets weeds
- 45. makes more than XX gallons
- 46. Covers [treats up to] XXXX square feet
- 47. Designed for use on Southern lawns [warm season grasses/list approved grass types here]
- 48. Water based

Weather & Speed

- 49. [See] results in hours
- 50. Overnight results
- 51. Rainproof - [for control that] won't wash away
- 52. Rainproof [rainfast] in [1] [X] hour[s]
- 53. Starts working immediately

Applicator Claims

- 54. Hands stay dry
- 55. No messy clean-up
- 56. One-handed operation [use] [spraying]
- 57. [Requires] no measuring, [no mixing]
- 58. [The] Easy way to spray
- 59. [Applicator name]
- 60. [Applicator name] refill
- 61. [One touch] [continuous spray] [Comfort] Wand
- 62. 4 AA [brand name] batteries included
- 63. Adjustable [spray] nozzle [for maximum control]
- 64. Adjustable [spray] nozzle [for your custom needs]

16/25

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 65. Battery powered [sprayer]
- 66. Easy Action pump spray
- 67. Extended Reach [illustration]
- 68. Extended Wand [for hard-to-reach areas]
- 69. No assembly required
- 70. No [more] hand fatigue [tired hands]
- 71. No more [bending] [kneeling] [or straining]
- 72. Precise control [target] [- spray only what you want]
- 73. Quick Pump [Pump N Go II] [Applicator]
- 74. Ready-to-Use
- 75. Refill
- 76. Refill [bottle] for [Applicator name]
- 77. Targets weeds in tight [hard to spray] spaces
- 78. XX minutes of continuous spray
- 79. Convenient [simple] design
- 80. Easy [and simple] to use
- 81. Quick & Easy [to use]
- 82. Save[s] time [and energy]

Other

- 83. * when used as directed
- 84. **see inside for weed list
- 85. Be in control of weeds in your yard
- 86. Before [illustration]/After [illustration]
- 87. For a beautiful [weed-free] lawn
- 88. [For] [Get] a weed free lawn
- 89. For Home Lawn Care
- 90. For Home Lawn Use [Only]
- 91. From the lawn care experts at Scotts
- 92. From the pest experts at Ortho
- 93. Guaranteed [results]*
- 94. Guaranteed not to harm the lawn*
- 95. Help[s] [keep[s]] the lawn look[ing] beautiful
- 96. Helps keep lawns weed free
- 97. Keep from freezing
- 98. Lawn friendly weed control*
- 99. Local solutions for local problems
- 100. New/Now (*The following claim may appear on any label panel for 6 months following commercial introduction.*)
- 101. Ortho guarantee
- 102. Ortho's #1 Weed Killer for Lawns
- 103. Ortho's [Our] most powerful weed killer for lawns
- 104. Ortho's simple weed killer
- 105. Proven Performance
- 106. Read Entire label before use
- 107. Recyclable bottle
- 108. [Recycle symbol]
- 109. Gentle on lawns [guaranteed*]
- 110. Takes the guesswork out of weed control [in the lawn]
- 111. Weed control for your lawn
- 112. Weed control made easy
- 113. Weed free [worry free]
- 114. Won't harm [the] lawn, guaranteed*
- 115. XX% more than X gallon size
- 116. XX% less plastic

17/
25

NOTE:

EPA Reg. No. 228-555

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

Optional Instructions for Side Clip Tape

PULL / PEEL HERE [TO REMOVE TAPE]

Open Resealable Label For Directions and/ & Precautions

Press to Reseal

Questions & Comments: [icon phone] [icon computer]

Call 1-800-xxx-xxxx or Visit our Website at www.companyname.com

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

The ORTHO Guarantee

If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Ortho and Your Environment – Your yard is a place for family and pets to enjoy. That's why Ortho products are designed with care to provide effective solutions to weed problems. Please follow instructions for appropriate usage, storage and disposal.

[Superscript is first letter of lot number]

18/25

NOTE:

EPA Reg. No. 228-555

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

SUBLABEL 2 – RTS (Floratam)

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USE.**

USE PRECAUTIONS AND RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- [Reentry Icon] Do not allow people or pets to enter the treated area until sprays have dried.
- Do not exceed two applications per year with a minimum of 30 days between applications.
- Do not spray exposed roots of desirable plants.
- Do not exceed directed rates because damage to turf may occur.
- Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not spray as a fine mist as injury to non-target plants may occur.
- Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches.
- Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans.
- Do not apply when windy.
- To prevent product runoff, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day.
- Do not apply to newly seeded grasses until they have been mowed 3 times.
- Do not reseed for 4 weeks after use. If lawn needs watering, water thoroughly before application.
- Do not apply when temperature exceeds 90°F.
- Allow 12 hours after application before watering lawn for maximum effectiveness on listed weeds.

HOW IT WORKS/PRODUCT INFORMATION:

LAZER RTU Lawn Weed Killer/Product Name broadcast herbicide contains three proven weed killers that target lawn weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. Lawns listed on this label will not be harmed when used as directed.

WHERE TO USE:

LAZER RTU Lawn Weed Killer/Product Name/This product can be applied to residential lawns with the following turfgrass types:

Lawns To Be Treated:	
Warm Season Turfgrass	Cool Season Turfgrass
St. Augustinegrass ¹ , including Floratam	Kentucky bluegrass
Bermudagrass, common and hybrid	Ryegrass
Centipedegrass	Tall fescue
Zoysiagrass	Fine fescue
Buffalograss	Bentgrasses
Bahiagrass	
¹ Application to St. Augustinegrass (including Floratam) may cause temporary yellowing or discoloration but full recovery can be expected.	

19/
25

NOTE:

EPA Reg. No. 228-555

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

DO NOT apply [LAZER RTU Lawn Weed Killer/Product Name] to the following:

Carpetgrass
Dichondra
Lippia
Gardens including vegetables, fruit trees, vines and berries
Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs)
Seashore paspalum
Turfgrass types that are not listed on this label.

HOW MUCH TO USE:

32 fl. oz. covers 2500 sq. ft.

The maximum application rate is 12.8 fl. oz. of product per 1,000 sq. ft. per application [0.18 lb 2,4-D acid equivalent per acre per application]. The maximum number of broadcast applications is limited to 2 per year. Allow at least 30 days between applications. The maximum seasonal rate is 25.6 fl. oz. of product per 1,000 sq. ft. [0.36 lb 2,4-D acid equivalent per acre]

WHEN TO USE:

Apply this product when weeds are small and actively growing in the spring or fall.

BROADLEAF WEEDS CONTROLLED [KILLS WEEDS INCLUDING:]

Some or all of the following weeds will appear on the label.

Alder	Dead Nettle	Narrowleaf plantain	Spotted knapweed
Annual yellow sweet clover	Dock	Narrowleaf vetch	Spotted spurge
Artichoke	Dogbane	Nettle	Spurge
Aster	Dogfennel	Nutgrass	Spurweed
Austrian fieldcress	Elderberry	Orange hawkweed	Stinging nettle
Bedstraw	English daisy	Oxalis	Stinkweed
Beggartick	Fall dandelion	Oxeye daisy	Stichwort
Biden	False dandelion	Parsley-piert	Strawberry clover
Bindweed	False flax	Parsnip	Sumac
Bird vetch	False sunflower	Pearlwort	Sunflower
Bitterweed	Fiddleneck	Pennycress	Sweet clover
Bitter wintercress	Field bindweed	Pennywort	Tall nettle
Black-eyed Susan	Field pansy	Peppergrass	Tall vervain
Black medic	Flea bane (Daisy)	Pepperweed	Tansy mustard
Black mustard	Flixweed	Pigweed	Tansy ragwort
Blackseed plantain	Florida betony	Pineywoods bedstraw	Tanweed
Blessed thistle	Florida pusley	Plains coeopsis	Tarweed
Bloodflower	Frenchweed	Plantain	Thistle
Blue lettuce	Galinsoga	Poison hemlock	Tick trefoil
Blue vervain	Garlic mustard	Poison ivy	Toadflax
Box elder	Goathead	Poison oak	Trailing crown vetch
Bracted plantain	Goatsbeard	Pokeweed	Tumble mustard
Brassbuttons	Goldenrod	Poorjoe	Tumble pigweed
Bristly oxtongue	Ground ivy	Povertyweed	Tumbleweed
Broadleaf dock	Gumweed	Prickly lettuce	Velvetleaf
Broadleaf plantain	Hairy bittercress	Prickly sida	Vernice mallow
Broomweed	Hairy fleabane	Primrose	Veronica
Buckhorn	Hawkweed	Prostrate knotweed	Vervain
Buckhorn plantain	Healall	Prostrate pigweed	Vetch
Bulbous buttercup	Heartleaf drymary	Prostrate spurge	Virginia buttonweed
Bull nettle	Hedge bindweed	Prostrate vervain	Virginia creeper
Bull thistle	Hedge mustard	Puncture vine	Virginia pepperweed
Burdock	Hemp	Purslane	Wavyleaf bullthistle
Burning nettle	Henbit	Ragweed	Western clematis

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

Bur ragweed	Hoary cress	Red clover	Western salsify
Burweed	Hoary plantain	Redroot pigweed	White clover
Buttercup	Hoary vervain	Red sorrel	White mustard
Canada thistle	Honeysuckle	Redstem filaree	Wild mustard
Carolina geranium	Hop clover	Rough cinquefoil	Wild aster
Carpetweed	Horsenettle	Rough fleabane	Wild buckwheat
Catchweed bedstraw	Horsetail	Roundleafed marigold	Wild carrot
Catsear	Indiana mallow	Rush	Wild four-o'clock,
Catnip	Ironweed	Russian pigweed	Wild geranium
Chickweed	Jewelweed	Russian thistle	Wild lettuce
Chicory	Jimsonweed	St. Johnswort	Wild marigold
Cinquefoil	Kochia	Scarlet pimpernel	Wild parsnip
Clover	Knawel	Scotch thistle	Wild radish
Cockle	Knotweed	Sheep sorrel	Wild rape
Cocklebur	Lambsquarter	Sheepspurse	Wild strawberry
Coffeebean	Lespedeza	Slender plantain	Wild sweet potato
Coffeeweed	Locoweed	Smallflower galinsoga	Wild vetch
Common chickweed	Lupine	Smartweed	Willow
Common mullein	Mallow	Smooth dock	Witchweed
Common sowthistle	Marshelder	Smooth pigweed	Woolly morningglory
Corn chamomile	Matchweed	Sneezeweed	Woodsorrel
Creeping Jenny	Mexicanweed	Southern wild rose	Woolly croton
Creeping Woodsorrel	Milk vetch	Sowthistle	Woolly plantain
Crimson clover	Milkweed	Spanishneedle	Wormseed
Croton	Mugwort	Spatterdock	Yarrow
Cudweed	Morningglory	Speedwell	Yellow Rocket
Curly dock	Mouseear chickweed	Spiny amaranth	Yellow Woodsorrel
Curly indigo	Musk thistle	Spiny cocklebur	Yellow flower pepperweed
Dandelion	Mustard	Spotted catsear	and other broadleaf weeds

Directions For Use Option Based On Applicator

Option 1 - Ready-Spray® II

[Applicator (Device) (Applicator Name) Directions/Instructions]

HOW TO USE:

Connect:

1. Connect sprayer to [garden] hose.
2. Turn on water.

[User Tip: Start at the farthest point in your yard and work back.]

Spray:

1. To BEGIN spraying, slide/rotate [color] switch to "ON".
2. Spray only until the surface of the lawn is wet. Spray evenly. Container covers 2500 sq. ft.

Finish:

1. To STOP spraying, slide/rotate [color] switch to "OFF".
2. Turn off water.
3. Relieve water pressure by sliding/rotating [color] switch to "WATER/ON".
4. After water slows to a drip, slide/rotate [color] switch back to "OFF".
5. Disconnect sprayer from [garden] hose.

[Optional illustrations may be used in conjunction with the above steps]

STORAGE & DISPOSAL

PESTICIDE STORAGE: Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

PESTICIDE DISPOSAL AND/ CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

OPTIONAL MARKETING CLAIMS

The following Product Facts format is optional and the information may appear inside or outside of a box.

PRODUCT FACTS:

[What It Does:] Kills major broadleaf weeds including dollarweed, dandelion, chickweed and clover. (See inside for complete/weed list)

[Where to Use:] Lawns: Kills the weeds not the lawn when used as directed. [icon weeds]

[When to Use:] Apply when daytime temperatures are below 90°F.

Questions & Comments: [icon phone] [icon computer]
Call 1-800-xxx-xxxx or Visit our Website at www.companyname.com

USE TIPS:		
When to Apply:	For established lawns	Apply when daytime temperatures are below 90°F.
	For newly seeded areas	Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing.
	For newly sodded, sprigged, or plugged areas	Apply this product 3 to 4 weeks after the sodding, sprigging, or plugging operations.
Seeding:	The treated area can be seeded at 4 weeks after the application of this product.	
Irrigation:	Non-stressed turfgrass	Adequate soil moisture and favorable growing conditions enhance the performance of this product.
	Stress from high temperatures, drought, insects or diseases.	Avoid applications of this product when turfgrasses are under stress since injury may result. If dry conditions exist, schedule irrigations (watering) before and after the application. For best results, delay the irrigation until approximately 24 hours after application of this product.
Mowing:		Delay mowing 2 days before and until 2 days after the application of this product. Do not use clippings from the treated areas as mulch or compost around flowers, ornamentals, trees, or in vegetable gardens.
Nontarget plants:		Do not apply this product to food crops (gardens, fruits and vegetables), forage crops, or ornamental plants including flowers, trees, shrubs, hedges, woody ornamentals, groundcovers established in landscape plantings and other nontarget plants. Do not spray exposed roots of ornamentals and trees.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

The following claims may or may not appear on any label panel or in advertising. Appropriate formula and company specific information will be inserted on Final Printed Label to replace "X"

Efficacy Claims

1. [Also] Kills [Dandelion,] [Clover,] plus [XXX] other [listed] weeds [as listed]
2. [Even] kills [controls] poison ivy and poison oak
3. [Only] targets the weeds, leaving your lawn [grass] unharmed*
4. [Visible] [See] results in X hours
5. Gets to the root [of your weed problem]
6. Kills by contact
7. Kill [control] the most common weeds in your lawn [grass] **
8. Kills [controls] [hard-to-control] [tough] weeds**
9. Kills [controls] all types of [lawn] weeds [in your grass] **
10. Kills [controls] broadleaf weeds [in lawns] **
11. Kills [controls] [listed weeds] **
12. Kills [lawn] weeds [down] to the roots
13. Kills [lawn] weeds [to the roots]
14. Kills to the root [so weeds won't come back]
15. Kills weeds down to the root
16. Kills weeds, not lawns TM
17. Results [works] with 1 [one] application
18. Gentle on lawns [grass], tough on weeds!
19. Simple [and easy] steps to a weed free [lawn] [yard]
20. Starts working on contact
21. Targets weeds invading your lawn [grass]
22. Tough weed killer
23. Won't harm grass*
24. One [1] easy solution for dollarweed, dandelions, and clover
25. For use on St. Augustine Grass [including Floratam]
26. For use on most lawn [grass] [types/varieties][as listed]
27. Gentle on [For use on] Floratam
28. Gentle on [For use on] Southern Lawns

Formula Claims

29. 3-way control
30. [With] Lawn Guard TM [Lawn Protect TM]
31. Colorless formula
32. Fast-acting [formula]
33. For use on [many Northern & Southern] grasses [lawns] including XXX
34. Kill over [up to] XXX [lawn] weeds**
35. Kills [controls] [over] [XXX+] [types of] weeds**
36. Lawn Friendly*
37. Non-staining
38. Stain-free [formula]
39. Systemic [herbicide] Activity
40. Treats many Northern & Southern grass types

Characteristics

41. [Easily] covers large areas
42. 1 bottle [quart] treats [up to] XXXX square feet
43. [Great] [Ideal] for broadcast treatment [application]
44. Great value [- use to cover small or large areas]
45. One [1] [bottle size] covers up to XXXX square feet

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 46. makes more than XX gallons
- 47. Covers [treats up to] XXXX square feet
- 48. Designed for use on Southern lawns [warm season grasses/list approved grass types here]
- 49. Water based

Weather & Speed

- 50. [See] results in hours
- 51. Overnight results
- 52. Rainproof - [for control that] won't wash away
- 53. Rainproof [rainfast] in [1] [X] hour[s]
- 54. Starts working immediately

Applicator Claims

- 55. Hands stay dry
- 56. No messy clean-up
- 57. One-handed operation [use] [spraying]
- 58. [Requires] no measuring, [no mixing]
- 59. [The] Easy way to spray
- 60. [Ergonomic] [Comfort] grip [handle]
- 61. [Simply] attach to [garden] hose and spray [go]
- 62. Easy [Simple] to attach [to [garden] hose]
- 63. includes water [only] setting
- 64. One step prep
- 65. Ready-Spray®/Ready to Spray/Applicator Name
- 66. [Applicator name]
- 67. Convenient [simple] design
- 68. Easy [and simple] to use
- 69. Quick & Easy [to use]
- 70. Save[s] time [and energy]

Other

- 71. * when used as directed
- 72. **see inside for weed list
- 73. Be in control of weeds in your yard
- 74. Before [illustration]/After [illustration]
- 75. For a beautiful [weed-free] lawn
- 76. [For] [Get] a weed free lawn
- 77. For Home Lawn Care
- 78. For Home Lawn Use [Only]
- 79. From the lawn care experts at Scotts
- 80. From the pest experts at Ortho
- 81. Guaranteed [results]*
- 82. Guaranteed not to harm the lawn*
- 83. Help[s] [keep[s]] the lawn look[ing] beautiful
- 84. Helps keep lawns weed free
- 85. Keep from freezing
- 86. Lawn friendly weed control*
- 87. Local solutions for local problems
- 88. New/Now *(The following claim may appear on any label panel for 6 months following commercial introduction.)*
- 89. Ortho guarantee
- 90. Ortho's #1 Weed Killer for Lawns
- 91. Ortho's [Our] most powerful weed killer for lawns
- 92. Ortho's simple weed killer
- 93. Proven Performance

NOTE:

EPA Reg. No. 228-555

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 94. Read Entire label before use
- 95. Recyclable bottle
- 96. [Recycle symbol]
- 97. Gentle on lawns [guaranteed*]
- 98. Takes the guesswork out of weed control [in the lawn]
- 99. Weed control for your lawn
- 100. Weed control made easy
- 101. Weed free [worry free]
- 102. Won't harm [the] lawn, guaranteed*
- 103. XX% more than X gallon size
- 104. XX% less plastic

Optional Instructions for Side Clip Tape

PULL / PEEL HERE [TO REMOVE TAPE]
Open Resealable Label For Directions and/ & Precautions
Press to Reseal

Questions & Comments: [icon phone] [icon computer]
Call 1-800-xxx-xxxx or Visit our Website at www.companyname.com

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

The ORTHO Guarantee

If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Ortho and Your Environment – Your yard is a place for family and pets to enjoy. That's why Ortho products are designed with care to provide effective solutions to weed problems. Please follow instructions for appropriate usage, storage and disposal.

[Superscript is first letter of lot number]

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 228-555

LABEL HISTORY

File Name	Revision Mark	Comments
000228-00555.20090605.MCPP-p and Dicamba RED	(RV121807)	Label submitted for 8 month MCPP-p and Dicamba RED. EPA stamp accepted with comments on 20100818.
000228-00555.20100818.MASTER (RV081810)	(RV081810)	New Master label